

## Cisco TwinGig Converter Module

The Cisco® TwinGig Converter Module (Figure 1) offers investment protection for 10 Gigabit Ethernet switches (such as the Cisco Catalyst 4500, 3750, and 3560 E-Series Switches), by enabling migration from Gigabit Ethernet to 10 Gigabit Ethernet uplinks based upon business needs, without having to upgrade the switches or modules.

**Figure 1.** Cisco TwinGig Converter Module



The TwinGig SFP Converter Module (Figure 2) converts a 10 Gigabit Ethernet X2 interface into two Gigabit Ethernet Small Form-Factor Pluggable (SFP) ports. This way, customers can initially use the switch with Gigabit Ethernet uplinks (Figure 3) and later implement 10 Gigabit Ethernet uplinks as business demands change, without having to upgrade the access layer.

The TwinGig SFP Converter Module can also be used with the Cisco Catalyst 4500 E-Series Supervisor 6-E (Figure 4) and the Cisco Catalyst 4500 E-Series 6-Port 10 Gigabit Ethernet Line Card (Figure 5).

**Figure 2.** Cisco TwinGig Converter Module Converts a 10 Gigabit Ethernet X2 Interface into Two Gigabit Ethernet SFP Ports in the Catalyst 3750-E and Catalyst 3560-E Series Switches.




**Figure 3.** Cisco TwinGig Converter Module Enables Migration from Gigabit Ethernet to 10 Gigabit Ethernet Uplinks Based on Business Needs Without Having to Upgrade the Switches



**Figure 4.** Cisco TwinGig Converter Module converts each 10 Gigabit Ethernet X2 Interface into Two Gigabit Ethernet SFP Ports with Catalyst 4500 Supervisor 6-E



**Figure 5.** Cisco TwinGig Converter Module converts each 10 Gigabit Ethernet X2 Interface into Two Gigabit Ethernet SFP Ports with Catalyst 4500 E-Series 6-port 10 Gigabit Ethernet Linecard



## Compatible Switch Models

The list of switch models and the compatible 10-Gigabit Ethernet Transceiver Modules can be found at:

[http://www.cisco.com/en/US/products/hw/modules/ps5455/products\\_device\\_support\\_table09186a00803857e7.html](http://www.cisco.com/en/US/products/hw/modules/ps5455/products_device_support_table09186a00803857e7.html).

**Table 1.** Compatible SFP Modules

Product Name	Product Description
<b>GLC-GE-100FX=</b>	100FX SFP on Gigabit Ethernet SFP ports for DSBU switches
<b>GLC-LH-SM=</b>	Gigabit Ethernet SFP, LC connector LX/LH transceiver
<b>GLC-SX-MM=</b>	Gigabit Ethernet SFP, LC connector SX transceiver
<b>GLC-T=</b>	1000BASE-T SFP
<b>GLC-ZX-SM=</b>	1000BASE-ZX SFP
<b>CWDM-SFP-1470=</b>	CWDM 1470 NM SFP Gigabit Ethernet and 1G/2G FC
<b>CWDM-SFP-1490=</b>	CWDM 1490 NM SFP Gigabit Ethernet and 1G/2G FC
<b>CWDM-SFP-1510=</b>	CWDM 1510 NM SFP Gigabit Ethernet and 1G/2G FC
<b>CWDM-SFP-1530=</b>	CWDM 1530 NM SFP Gigabit Ethernet and 1G/2G FC
<b>CWDM-SFP-1550=</b>	CWDM 1550 NM SFP Gigabit Ethernet and 1G/2G FC
<b>CWDM-SFP-1570=</b>	CWDM 1570 NM SFP Gigabit Ethernet and 1G/2G FC
<b>CWDM-SFP-1590=</b>	CWDM 1590 NM SFP Gigabit Ethernet and 1G/2G FC
<b>CWDM-SFP-1610=</b>	CWDM 1610 NM SFP Gigabit Ethernet and 1G/2G FC

## Dimensions

Dimensions (D x W x H): 3.62 inches X 1.52 inch X .76 inch (91.9 mm x 38.6 mm x 19.3 mm)

The Cisco TwinGig Converter Module weighs less than 0.6 lb (300 g).

## Warranty

- Standard warranty: 90 days.
- Extended warranty (optional): Cisco TwinGig Converter Modules can be covered in a Cisco SMARTnet<sup>®</sup> support contract for the Cisco switch chassis.

## Ordering Information

Table 2 provides the ordering Information for Cisco TwinGig Converter Modules and spares.

**Table 2.** Ordering Cisco TwinGig Converter Modules and Spares

Product Name	Product Description
<b>CVR-X2-SFP</b>	TwinGig Converter Module
<b>CVR-X2-SFP=</b>	TwinGig Converter Module

## Additional Information

For more information about the Cisco TwinGig Converter Module, contact:

- United States and Canada: 800 553-6387
- Europe: 32 2 778 4242
- Australia: 61 2 9935 4107
- Other: 408-526-7209
- <http://www.cisco.com>



**Americas Headquarters**  
Cisco Systems, Inc.  
170 West Tasman Drive  
San Jose, CA 95134-1706  
USA  
[www.cisco.com](http://www.cisco.com)  
Tel: 408 526-4000  
800 553-NETS (6387)  
Fax: 408 527-0883

**Asia Pacific Headquarters**  
Cisco Systems, Inc.  
168 Robinson Road  
#28-01 Capital Tower  
Singapore 068912  
[www.cisco.com](http://www.cisco.com)  
Tel: +65 6317 7777  
Fax: +65 6317 7799

**Europe Headquarters**  
Cisco Systems International BV  
Haarlerbergpark  
Haarlerbergweg 13-19  
1101 CH Amsterdam  
The Netherlands  
[www-europe.cisco.com](http://www-europe.cisco.com)  
Tel: +31 0 800 020 0791  
Fax: +31 0 20 357 1100

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

©2007 Cisco Systems, Inc. All rights reserved. CCVP, the Cisco logo, and the Cisco Square Bridge logo are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn is a service mark of Cisco Systems, Inc.; and Access Registrar, Aironet, BPX, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSF, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, iQuick Study, LightStream, Linksys, MeetingPlace, MGX, Networking Academy, Network Registrar, PIX, ProConnect, ScriptShare, SMARTnet, StackWise, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0708R)